



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

NOTICES TO MARINERS PUBLICATION EASTERN EDITION

VOL. 37, MONTHLY EDITION N° 10 VERSION 2
November 2, 2012

Publication Number 40063779



Safety First, Service Always

Published monthly by the
CANADIAN COAST GUARD
www.notmar.gc.ca/subscribe

CONTENTS

	Page
Section 1 Safety and General Information	1 - 3
Section 2 Chart Corrections	4 - 9
Section 3 Radio Aids to Marine Navigation Corrections	NIL
Section 4 Sailing Directions and Small Craft Guide Corrections	10 - 14
Section 5 List of Lights, Buoys and Fog Signals Corrections	15 - 17

Maritime Services Directorate
Aids to Navigation

EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) before the chart action and in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Canadian Hydrographic Service – Information Published in Section 2 Notices to Mariners - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Light, Buoys and Fog Signals* correction.


In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Light publication, the latter shall be deemed as containing the most up to date information

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & Publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2012*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:
www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately. Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts. The illustration below describes the elements that will comprise a typical Section 2 chart correction.



1 - Chart Number	5 - Last Correction	9 - List of light number
2 - Chart Title	6 - Chart action	10 - CHS reference number
3 - Chart's latest New Edition date	7 - Notice type	11 - CCG reference number
4 - Horizontal Chart Datum	8 - Weekly chart correction date	12 - Chart No 1 reference number

The last correction number is identified with the **LNMD** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

ADVISORY

NOTICES TO SHIPPING (WRITTEN AND BROADCAST)

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are published weekly and are available from local Canadian Coast Guard Offices.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Newfoundland

Fisheries and Oceans Canada
Canadian Coast Guard
St. John's MCTS Centre
P.O. Box 5667
ST JOHN'S NL A1C 5X1
Telephone: (709) 772-2083 / 2106
Facsimile: (709) 772-5369

Québec

* Fisheries and Oceans Canada
Canadian Coast Guard
Montréal MCTS Centre
101 Roland Therrien Blvd., 5th Floor
LONGUEUIL, QC J4H 4B9
Telephone: (450) 928-6174
Facsimile: (450) 928-4547
E-mail: opsavis@dfo-mpo.gc.ca
Website: www.marinfo.gc.ca

Maritimes

* Fisheries and Oceans Canada
Canadian Coast Guard
Sydney MCTS Centre
P.O. Box 8630
SYDNEY, N.S. B1P 6K7
Telephone: (902) 564-7751 or 1-800-686-8676
Facsimile: (902) 564-2446
Email: notshipssyd@mar.dfo-mpo.gc.ca

Central & Arctic

* Fisheries and Oceans Canada
Canadian Coast Guard
Marine Communications and Traffic Services
Notices to Shipping Series "C"
401 King Street West
PRESCOTT, ON K0E 1T0
Telephone (613) 925-0666 or 1-800 265 0237
Facsimile: (613) 925-4519
Email: NotshipC&A@DFO-MPO.GC.CA
Website: www.ccg-gcc.gc.ca/eng/CCG/Notship_Home

* Fisheries and Oceans Canada
Canadian Coast Guard
Iqaluit MCTS Centre
P.O. Box 189
IQALUIT NU X0A 0H0
Telephone: (867) 979-5269
Facsimile: (867) 979-4264

* Services provided in English and French

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

MONTHLY EDITION OF NOTICES TO MARINERS

WEB ACCESS

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the www.notmar.gc.ca/subscribe website to subscribe for this service.

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25lJmxbmc9ZSI7

This feature permits users to register the nautical charts they currently have in their possession. Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES	1
CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS	1
CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES	1
CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.....	1
CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY - ECDIS	1
*1002 CANADIAN COAST GUARD - LIST OF CHARTS AND REFERENCE CHARTS (SECTION I) AFFECTED BY TEMPORARY AND PRELIMINARY NOTICES	3
*1001 CANADIAN COAST GUARD PUBLICATION – AMENDMENT TO THE ANNUAL EDITION OF NOTICES TO MARINERS – 2012 - NOTICE 28D – SEARCH AND RESCUE IN CANADIAN AND ADJACENT WATERS	2
*1003 CANSO HARBOUR NOVA SCOTIA – AIDS TO NAVIGATION AMENDMENTS.....	4

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
1226	4	4956	9		
1310	4	8007	9		
1316	4				
1431	4,5,				
1510	5				
2023	5				
2024	5				
2025	5				
2060	5				
2064	6				
4000	6				
4001	6				
4003	6				
4006	7				
4023	7				
4026	7				
4099	7,8				
4124	8				
4281	3				
4406	8				
4432	8				
4470	8				
4498	8				
4652	8,9				
4921	9				
4955	9				

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 1
CHART CORRECTIONS

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS

The cumulative Notices to Mariners corrections for charts can now be accessed at www.notmar.gc.ca/search/notmar-eng.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY - ECDIS

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 1
CHART CORRECTIONS

*1001 CANADIAN COAST GUARD PUBLICATION – AMENDMENT TO THE ANNUAL EDITION OF NOTICES TO MARINERS – 2012 – NOTICE 28D – SEARCH AND RESCUE IN CANADIAN AND ADJACENT WATERS

Page D28 – Page 3 of 9

AMEND:

11 Canadian Joint Rescue Coordination Centres / Maritime Rescue Sub-Centres Emergency
Contact Information

JRCC Victoria 1-800-567-5111 (**British Columbia and Yukon**)
+1 250-413-8933 (Satellite, Local, or out of area)
727 (Cellular)
jrcvictoria@sarnet.dnd.ca (Email)

JRCC Trenton 1-800-267-7270 (**Central Canada, Northern Quebec, NWT & Nunavut**)
+1 613-965-3870 (Satellite, Local, or out of area)
613-965-7190 (fax)
jrcctrenton@sarnet.dnd.ca (Email)

MRSC Québec 1-800-463-4393 (**Québec Region**)
+1 418-648-3599 (Satellite, Local, or out of area)
418-648-3614 (fax)
mrscqbc@dfo-mpo.gc.ca (Email)

JRCC Halifax 1-800-565-1582 (**Maritimes Region**)
1-800-563-2444 (**Newfoundland & Labrador Region**)
+1-902-427-8200 (Satellite, Local, or out of area)
902-427-2114 (fax)
jrcchalifax@sarnet.dnd.ca (Email)

TO READ:

11 Canadian Joint Rescue Coordination Centres / Maritime Rescue Sub-Centres Emergency
Contact Information

JRCC Victoria 1-800-567-5111 (**British Columbia and Yukon**)
+1-250-413-8933 (Satellite, Local, or out of area)
727 (Cellular)
+1-250-413-8932 (fax)
jrcvictoria@sarnet.dnd.ca (Email)

JRCC Trenton 1-800-267-7270 (**In Canada**)
+1-613-965-3870 (Satellite, Local, or Out of Area)
+1-613-965-7279 (fax)
jrcctrenton@sarnet.dnd.ca (email)

MRSC Québec 1-800-463-4393 (**Québec Region**)
+1-418-648-3599 (Satellite, Local, or out of area)
+1-418-648-3614 (fax)
mrscqbc@dfo-mpo.gc.ca (Email)

JRCC Halifax 1-800-565-1582 (**Maritimes Region**)
1-800-563-2444 (**Newfoundland & Labrador Region**)
+1-902-427-8200 (Satellite, Local, or out of area)
+1-902-427-2114 (fax)
jrcchalifax@sarnet.dnd.ca (Email)

*1002 CANADIAN COAST GUARD - LIST OF CHARTS AND REFERENCE CHARTS (SECTION I) AFFECTED BY
TEMPORARY AND PRELIMINARY NOTICES

IN EFFECT SEPTEMBER 28, 2012
(REVISED AND PROMULGATED QUARTERLY)

Fisheries and Oceans Canada - Official publication of the Canadian Coast Guard

**Monthly Notices to Mariners - Eastern Edition
Edition 10/2012**

**SECTION 1
CHART CORRECTIONS**

1434	03-AUG(P)/01
2218	28-APR(P)/00
2241	28-APR(P)/00
2250	361(P)/97
2283	31-MAR(P)/00, 1207(P)/06
2305	1204(P)/08
LC 3000	2346(P)/99, 28-APR(P)/00, 03-NOV(P)/00
3053	19-JAN(P)/01
3891	24-AUG(P)/01
3938	508(P)/12
4000	26-NOV(P)/10
4001	26-NOV(P)/10
4003	26-NOV(P)/10
4006	26-NOV(P)/10
LC 4049	25-NOV(T)/11
4099	26-NOV(P)/10
4233	210(P)/12
4237	26-SEP(T)/08
4241	908(P)/12
4266	608(P)/12, 609(P)/12
4281	1109(P)/11, 1111(P)/11
4306	611(P)/12
4307	1209(P)/10, 417(P)/12
LC 4320	26-SEP(T)/08
4367	415(P)/12, 416(P)/12
4385	26-SEP(T)/08
4406	305(P)/12, 306(P)/12
4425	414(P)/12
4498	413(P)/12, 711(P)/12
4659	22-AUG(P)/08
4905	917(P)/11
4909	613(P)/12, 810(P)/12
4911	811(P)/12
L/C 4913	614(P)/12
5449	808(P)/04
5707	807(P)/04
6241	108(P)/10
6249	718(P)/12
6267	112(P)/06
6272	717(P)/12
7010	153(T)/99
LC 7011	153(T)/99
7083	847(P)/89, 1510(P)/98, 1727(P)/98
7371	634(P)/96
7736	214(P)/12
7760	1510(P)/98, 1727(P)/98
8007	26-NOV(P)/10
8012	25-NOV(T)/11

***1003 CANSO HARBOUR NOVA SCOTIA – AIDS TO NAVIGATION AMENDMENTS**

Reference: Notice 1111(P)/2011 (Chart 4281)
Paragraphs 6, 9 and 11 are now cancelled

(G2012-084; 086; 110)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 2
CHART CORRECTIONS

1226 - Baie-Comeau - Sheet 1 - New Edition - 19-FEB-2010 - NAD 1983

19-OCT-2012

Delete orange beacon BnOr
(See Chart No. 1, Q81, Qb)

LNm/D. 06-JUL-2012

49°12'11.7"N 068°08'46.6"W

(Q2012129) DFO(6408685-01)

This notice might affect Electronic Navigational Chart: CA579048

1226 - Quai Public/Public Wharf - Sheet 1 - New Edition - 19-FEB-2010 - NAD 1983

19-OCT-2012

Delete private green port hand can buoy, marked KC1
(See Chart No. 1, Qg, Q70)

LNm/D. 06-JUL-2012

49°13'39.1"N 068°07'50.3"W

(Q2012-119) DFO(6408668-01)

Add private green port hand lighted can buoy FI G 3s, marked KC1 (Priv)
(See Chart No. 1, Qg, Q70)

49°13'42.3"N 068°07'54.2"W

(Q2012-119) LL(1716.5) DFO(6408668-02)

Delete private green port hand can buoy, marked KC3
(See Chart No. 1, Qg, Q70)

49°13'39.2"N 068°08'02.7"W

(Q2012-120) DFO(6408669-01)

Add private green port hand lighted can buoy FI G 3s, marked KC3 (Priv)
(See Chart No. 1, Qg, Q70)

49°13'40.9"N 068°08'01.1"W

(Q2012-120) LL(1716.8) DFO(6408669-02)

1310 - Section B-C - Sheet 1 - New Edition - 15-FEB-2008 - NAD 1983

26-OCT-2012

Reposition green port hand lighted can buoy FI G, marked MT79
(See Chart No. 1, Qg)

LNm/D. 03-AUG-2012

from 45°32'40.4"N 073°31'20.1"W

to 45°32'38.1"N 073°31'21.7"W

(Q2012126) LL(2365.91) DFO(6408682-01)

This notice might affect Electronic Navigational Chart: CA579080

Reposition green port hand lighted pillar buoy FI G, marked MT81
(See Chart No. 1, Qg)

from 45°32'28.0"N 073°31'26.0"W

to 45°32'26.8"N 073°31'26.6"W

(Q2012127) LL(2365.93) DFO(6408683-01)

This notice might affect Electronic Navigational Chart: CA579080

1316 - Port de Québec - Sheet 1 - New Edition - 02-DEC-2011 - NAD 1983

19-OCT-2012

Amend (2011) to read (2012)
(See Chart No. 1, I22)

46°49'28.7"N 071°11'45.1"W

DFO(6408684-01)

This notice might affect Electronic Navigational Chart: CA579003

1431 - Canal de Beauharnois - New Chart - 17-JAN-2003 - NAD 1983

12-OCT-2012

Replace red starboard hand lighted spar buoy QR, marked C6 with red starboard
hand lighted pillar buoy QR, marked C6
(See Chart No. 1, Qf)

LNm/D. 18-MAY-2012

45°16'06.6"N 073°57'12.1"W

(B2012023) LL(39) DFO(6603797-01)

This notice might affect Electronic Navigational Chart: CA473300

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 2
CHART CORRECTIONS

1431 - Baie Saint-François - New Chart - 17-JAN-2003 - NAD 1983

12-OCT-2012

Add private orange and white mooring can buoy, Priv
(See Chart No. 1, Q40)

LNMD. 18-MAY-2012
45°15'30.1"N 074°08'28.9"W
(B2012022) DFO(6603795-01)

This notice might affect Electronic Navigational Chart: CA573386

1510 - Lac Saint-Louis à/to Carillon - Compartiment B-C - Sheet 1 - New Edition - 04-JUN-2010 - NAD 1983

19-OCT-2012

Add private green port hand spar buoy, marked HJ9
(See Chart No. 1, Qg)

LNMD. 31-AUG-2012
45°30'39.7"N 074°12'11.6"W
(2012-121) DFO(6408672-01)

2023 - Burleigh Falls to/à Buckhorn - Sheet 2 - New Edition - 14-JUL-2006 - NAD 1983

12-OCT-2012

Amend C266/1 to read C268 against red starboard spar buoy
(See Chart No. 1, Qf)

LNMD. 01-JUN-2012
44°33'24.4"N 078°17'03.5"W
(B2012026) DFO(6603800-01)

Amend C268 to read C270 against red starboard spar buoy
(See Chart No. 1, Qf)

44°33'23.8"N 078°17'30.0"W
(B2012027) DFO(6603801-01)

2024 - Gannon Narrows to/à Bobcaygeon - Sheet 2 - New Edition - 11-MAY-2007 - NAD 1983

12-OCT-2012

Amend C348 to read C346 against starboard daybeacon
(See Chart No. 1, Qt)

LNMD. 09-OCT-2009
44°32'39.6"N 078°32'02.5"W
(B2012025) DFO(6603799-01)

2024 - Pigeon Lake (North Portion/Partie Nord) - Sheet 5 - New Edition - 11-MAY-2007 - NAD 1983

12-OCT-2012

Amend C348 to read C346 against starboard daybeacon
(See Chart No. 1, Qt)

LNMD. 09-OCT-2009
44°32'39.6"N 078°32'02.5"W
(B2012025) DFO(6603799-01)

2025 - Sturgeon Lake - Sheet 1 - New Edition - 09-MAR-2007 - NAD 1983

12-OCT-2012

Amend C348 to read C346 against starboard daybeacon
(See Chart No. 1, Qt)

LNMD. 14-MAR-2008
44°32'39.6"N 078°32'02.6"W
(B2012025) DFO(6603799-01)

2060 - Main Duck Island to/à Scotch Bonnet Island - New Edition - 28-DEC-2001 - NAD 1983

12-OCT-2012

Reposition red starboard hand spar buoy, marked KT2
(See Chart No. 1, Qf)

LNMD. 19-DEC-2008
from 43°57'02.0"N 076°50'46.0"W
to 43°56'57.0"N 076°50'51.0"W
(B2012024) DFO(6603798-01)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 2
CHART CORRECTIONS

2064 - Kingston to/à False Duck Islands - New Edition - 05-MAR-1999 - NAD 1983

12-OCT-2012

Reposition red starboard hand spar buoy, marked KT2
(See Chart No. 1, Qf)

LNMD/D. 31-AUG-2012
from 43°57'02.0"N 076°50'46.0"W

to 43°56'57.0"N 076°50'51.0"W
(B2012024) DFO(6603798-01)

This notice might affect Electronic Navigational Chart: CA373063

4000 - Gulf of Maine to/à Baffin Bay / Baie de Baffin - New Edition - 25-JUL-2003 - NAD 1983

12-OCT-2012

CANCELS lighted offshore platform and legend Deep Panuke
(See Chart No 1 L2 and P2)

Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled.
See notice 2012-10-12 (DFO 6305929) appearing in this edition.

LNMD/D. 02-DEC-2011
43°48'45.7"N 060°41'18.1"W

DFO(6305130-01)

Add lighted offshore platform and legend Deep Panuke
(See Chart No. 1, P2)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-01)

4001 - Gulf of Maine to Strait of Belle Isle /au Detroit de Belle Isle - New Edition - 01-DEC-1995 - NAD 1983

12-OCT-2012

CANCELS lighted offshore platform and legend Deep Panuke
(See Chart No 1 L2 and P2)

Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled.
See notice 2012-10-12 (DFO 6305929) appearing in this edition.

LNMD/D. 03-AUG-2012
43°48'45.7"N 060°41'18.1"W

DFO(6305130-01)

Add lighted offshore platform and legend Deep Panuke
(See Chart No. 1, P2)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-01)

4003 - Cape Breton to/à Cape Cod - New Edition - 21-MAR-2003 - NAD 1983

12-OCT-2012

CANCELS lighted offshore platform and legend Deep Panuke
(See Chart No 1 L2 and P2)

Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled.
See notice 2012-10-12 (DFO 6305929) appearing in this edition.

LNMD/D. 03-AUG-2012
43°48'45.7"N 060°41'18.1"W

DFO(6305130-01)

This notice might affect Electronic Navigational Chart: CA176140

Add lighted offshore platform Mo(U) and legend Deep Panuke
(See Chart No 1 L2 and P2)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-01)

This notice might affect Electronic Navigational Chart: CA176140

Add fog signal FogSig
(See Chart No. 1, R1)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-03)

This notice might affect Electronic Navigational Chart: CA176140

**Monthly Notices to Mariners - Eastern Edition
Edition 10/2012**

**SECTION 2
CHART CORRECTIONS**

**4006 - Newfoundland and Labrador/Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003
- NAD 1983**

12-OCT-2012 LNM/D. 03-AUG-2012
CANCELS lighted offshore platform and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No 1 L2 and P2)
Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled.
See notice 2012-10-12 (DFO 6305929) appearing in this edition.
DFO(6305130-01)

Add lighted offshore platform and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No. 1, P2)
DFO(6305929-01)

4023 - Northumberland Strait / Détroit de Northumberland - New Edition - 27-DEC-2002 - NAD 1983

19-OCT-2012 LNM/D. 14-SEP-2012
Delete red and white fairway lighted pillar bell buoy Mo(A), BELL 45°57'30.2"N 063°38'13.7"W
(See Chart No. 1, Qh)
(G2012176) LL(925.12) DFO(6306175-01)
This notice might affect Electronic Navigational Chart: CA276286

4026 - Havre Saint-Pierre et/and Cap des Rosiers à/to Pointe des Monts - New Edition - 12-JAN-2001 - NAD 1983

26-OCT-2012 LNM/D. 24-AUG-2012
Add abandoned explosives dumping ground with a radius of 3700 metres, 49°42'00.0"N 066°42'00.0"W
Explos (Aband)
(See Chart No. 1, N23.2)
DFO(6408691-01)
This notice might affect Electronic Navigational Chart: CA279044

Add abandoned explosives dumping ground with a radius of 3700 metres, 49°41'00.0"N 066°31'00.0"W
Explos (Aband)
(See Chart No. 1, N23.2)
DFO(6408691-02)
This notice might affect Electronic Navigational Chart: CA279044

Add abandoned explosives dumping ground with a radius of 3700 metres, 49°38'00.0"N 066°24'00.0"W
Explos (Aband)
(See Chart No. 1, N23.2)
DFO(6408691-03)
This notice might affect Electronic Navigational Chart: CA279044

4099 - Sable Island/Île de Sable, Western Portion/Partie Ouest - New Edition - 28-DEC-2001 - NAD 1983

12-OCT-2012 LNM/D. 18-MAY-2012
CANCELS lighted offshore platform and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No 1 L2 and P2)
Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled.
See notice 2012-10-12 (DFO 6305929) appearing in this edition.
DFO(6305130-01)
This notice might affect Electronic Navigational Chart: CA376137

Add lighted offshore platform Mo(U) 15M and legend Deep Panuke 43°48'45.7"N 060°41'18.1"W
(See Chart No 1 L2 and P2)
DFO(6305929-01)
This notice might affect Electronic Navigational Chart: CA376137

**Monthly Notices to Mariners - Eastern Edition
Edition 10/2012**

**SECTION 2
CHART CORRECTIONS**

Add fog signal FogSig (3) 30s 43°48'45.7"N 060°41'18.1"W
(See Chart No. 1, R20)

DFO(6305929-03)

This notice might affect Electronic Navigational Chart: CA376137

4124 – Letete Passage, Letang Harbour and/et Blacks Harbour – Sheet 1 – New Edition – 07-APR-2000 – NAD 1983

12-OCT-2012

LNM/D. 06-JAN-2012

Affix patch

45°02'00.0"N 066°55'45.0"W

Download Patch: http://www.chs-shc.gc.ca/patches/4124_PA_309552.pdf

DFO(6306173-01)

Affix patch

45°03'08.0"N 066°54'04.0"W

Download Patch: http://www.chs-shc.gc.ca/patches/4124_PA_309564.pdf

DFO(6306173-02)

4406 – Tryon Shoals to/à Cape Egmont – New Edition – 27-FEB-1998 – NAD 1983

19-OCT-2012

LNM/D. 23-MAR-2012

Delete red and white fairway lighted pillar bell buoy Mo(A), BELL marked UK
(See Chart No. 1, Qh)

45°57'30.2"N 063°38'13.7"W

(G2012176) LL(925.12) DFO(6306175-01)

4432 – Havre de Mingan – New Edition – 11-MAR-2011 – NAD 1983

12-OCT-2012

LNM/D. 02-DEC-2011

Delete depth of 3 metres 6 decimetres
(See Chart No. 1, I10)

50°17'21.1"N 064°01'11.8"W

DFO(6408679-01)

This notice might affect Electronic Navigational Chart: CA479027

Add depth of 1 metre 3 decimetres
(See Chart No. 1, I10)

50°17'21.0"N 064°01'13.1"W

DFO(6408679-02)

This notice might affect Electronic Navigational Chart: CA479027

4470 – Blanc Sablon à/to Middle Bay – New Edition – 04-JAN-1980 – NAD 1927

19-OCT-2012

LNM/D. 18-NOV-2011

Amend FI R to read FI G 16ft4M against light
(See Chart No. 1, P16)

51°25'24.0"N 057°04'01.0"W

(N2012022) LL(226.5) DFO(6306184-01)

4498 – Pugwash Harbour and Approaches/et les approches – New Edition – 20-JUN-2003 – NAD 1983

19-OCT-2012

LNM/D. 31-AUG-2012

Delete red starboard hand spar buoy, marked UK4
(See Chart No. 1, Qf)

45°53'03.9"N 063°41'54.0"W

(G2012177) DFO(6306176-01)

4652 – Humber Arm Meadows Point to/à Humber River – New Edition – 30-APR-2010 – NAD 1983

12-OCT-2012

LNM/D. 09-SEP-2011

Affix patch

48°57'30.0"N 057°57'20.0"W

Download Patch: http://www.chs-shc.gc.ca/patches/4652_PA_303345.pdf

DFO(6306172-02)

**Monthly Notices to Mariners - Eastern Edition
Edition 10/2012**

**SECTION 2
CHART CORRECTIONS**

4652 - Corner Brook - New Edition - 30-APR-2010 - NAD 1983

12-OCT-2012

Affix patch

LNM/D. 09-SEP-2011

48°57'35.0"N 057°56'50.0"W

Download Patch: http://www.chs-shc.gc.ca/patches/4652_PA_303346.pdf

DFO(6306172-01)

This notice might affect Electronic Navigational Chart: CA576186

4921 - Quai / Wharf Port-Daniel-Est - Sheet 1 - New Edition - 16-MAR-2012 - NAD 1983

19-OCT-2012

Delete depth of 2 metres 4 decimetres
(See Chart No. 1, I10)

48°10'55.9"N 064°57'43.4"W

DFO(6408675-01)

Add depth of 2 metres 1 decimetre
(See Chart No. 1, I10)

48°10'55.9"N 064°57'43.5"W

DFO(6408675-02)

4955 - Havre-aux-Maisons - New Edition - 06-APR-2012 - NAD 1983

19-OCT-2012

Reposition red starboard hand conical lighted buoy FI R, marked YE6
(See Chart No. 1, Qf)

from 47°23'37.9"N 061°50'17.4"W

to 47°23'37.8"N 061°50'18.6"W
(Q2012122) LL(1494.4) DFO(6408674-01)

This notice might affect Electronic Navigational Chart: CA579211

4956 - Cap-aux-Meules - New Edition - 02-SEP-2011 - NAD 1983

19-OCT-2012

Add depth of 5 metres 5 decimetres
(See Chart No. 1, I10)

LNM/D. 11-MAY-2012

47°22'23.6"N 061°51'06.1"W

DFO(6408677-01)

This notice might affect Electronic Navigational Chart: CA579046

**8007 - Halifax to/à Sable Island/Île de Sable, Including/y compris Emerald Bank/Banc d'Émeraude and/et Sable Island
Bank/Banc de l'Île de Sable - New Edition - 30-AUG-2002 - NAD 1983**

12-OCT-2012

CANCELS lighted offshore platform and legend Deep Panuke
(See Chart No 1 L2 and P2)

LNM/D. 29-JUN-2012

43°48'45.7"N 060°41'18.1"W

Work is complete. Notice 2010-11-26(P), DFO(6305130) is cancelled.
See notice 2012-10-12 (DFO 6305929) appearing in this edition.

DFO(6305130-01)

Add lighted offshore platform Mo(U) 15M and legend Deep Panuke
(See Chart No. 1, P2)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-01)

Add fog signal FogSig
(See Chart No. 1, R1)

43°48'45.7"N 060°41'18.1"W

DFO(6305929-03)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

ARC 400 — General Information, Northern Canada, First Edition, 2009 —

Chapter 4 — Paragraph 52, after "southwestward to join the"

Delete: Canadian Current, which

Replace by: current, variously known as the Canadian Current or Baffin
Current or Baffin Island Current, that

(C2012-072.01)

ATL 104 — Cape North to Cape Canso (including Bras d'Or Lake), Second Edition, 2010 —

Chapter 2 — Paragraph 42, after "Marache Point."

Delete: "A **light** (704.8) ... end of Crichton Island."

Replace by: **Arichat Head** is at the SW end of Crichton Island.

(A2012-004.17)

ATL 108 — Gulf of St. Lawrence (Southwest Portion), First Edition, 2006 —

Chapter 1 — Paragraph 187

Delete: "Port hand light and bell **buoy** JJ1 ... north of the light."

Replace by: Fairway light **buoy** JJ (1050.05) is moored 1.1
miles NNE of the light.

(A2012-008.30)

Chapter 1 — Paragraph 189

Delete: "**Leading lights** (1052, 1053), ... daymark with a red stripe."

(A2012-008.31)

Chapter 1 — Paragraph 194, after "Fairway light **buoy** JK (1054) is moored"

Delete: 0.5

Replace by: 0.7

(A2012-008.32)

Chapter 1 — Paragraph 197

Delete: "**Leading lights** (1059, 1060), ... NE of front light."

Replace by: A **light** (1060.01) is shown at an elevation of 12 m
from a square white tower on the corner of a
building. The light structure is situated on the
western shore, inside the entrance to the bay.
Fairway light **buoy** JM (1058) is moored 1.2 miles
NE of the light.

(A2012-008.33)

Chapter 1 — Paragraph 214

Delete: "Port hand light and bell **buoy** JS1 ... Conway Inlet entrance."

Replace by: Fairway light **buoy** JS (1071.35) is moored about
0.8 mile ENE of the Conway Inlet entrance.

(A2012-008.35)

Chapter 1 — Paragraph 218, after "Harbour at **Northport**."

Insert: Fairway light **buoy** JV (1075.05) is moored
1.7 miles ESE of the channel entrance.

(A2012-008.36)

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

ATL 108 — Gulf of St. Lawrence (Southwest Portion). First Edition, 2006 —

Chapter 2 — In the vicinity of paragraph 85

Replace the **L'ÎLE-D'ENTRÉE** diagram with the new one provided in **Section 4** of this Monthly Edition.

L'ÎLE-D'ENTRÉE diagram - **PDF format** - <http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e.pdf> or **JPG format** - <http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e.jpg>

(Q2012-044.1)

Chapter 2 — In the vicinity of paragraph 101

Replace the **L'ÉTANG-DU-NORD** diagram with the new one provided in **Section 4** of this Monthly Edition.

L'ÉTANG-DU-NORD diagram - **PDF format** - <http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e2.pdf> or **JPG format** - <http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e2.jpg>

(Q2012-048.1)

Chapter 2 — In the vicinity of paragraph 112

Replace the **GROSSE-ÎLE-NORD** diagram with the new one provided in **Section 4** of this Monthly Edition.

GROSSE-ÎLE-NORD diagram - **PDF format** - <http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e1.pdf> or **JPG format** - <http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e1.jpg>

(Q2012-023.1)

Chapter 4 — Paragraph 266

Delete: "The public **wharf** ... on each side."

Replace by: The wharves are in ruins.

(Q2012-045.1)

Chapter 4 — Adjacent to paragraph 266, delete the wharf pictograph.

(Q2012-045.2)

ATL 110 — St. Lawrence River — Cap Whittle/Cap Gaspé to Les Escoumins and Anticosti Island, Third Edition, 2011 —

Chapter 3 — Paragraph 50

Delete: "**Baie des Anglais** is ... orange **beacon** on the point."

Replace by: **Baie des Anglais** is entered between Pointe Saint-Pancrace and **Pointe Saint-Gilles**, which is 4 miles to the SW.

(Q2012-054.1)

ATL 112 — St. Lawrence River — Cap-Rouge to Montréal and Rivière Richelieu, Third Edition, 2009 —

Chapter 1 — Paragraph 157

Delete: "It has a vertical clearance ... marked with lights."

Replace by: **Red lights** mark the limits of the main shipping channel which has a width of 225 m under the bridge and a vertical clearance of 48 m. A **green light** marks the centre of the main shipping channel where the vertical clearance is 49 m. The bridge is well marked with several other lights.

(Q2012-042.1)

APPENDICE — Delete the **Summary of air obstructions for this booklet** Table (Re: Correction promulgated in Monthly Edition No. 7/2012) and replace by the new **Summary of air obstructions for this booklet** Table published in **Section 4** of this Monthly Edition.

Summary of air obstructions booklet - **PDF format** -

<http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e3.pdf> or **JPG format** -

<http://www.notmar.gc.ca/eng/services/notmar/sec4oct12e3.jpg>

(Q2012-042.2)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

CEN 301 — St. Lawrence River, Montréal to Kingston, Second Edition, 2010 —

Chapter 5 — Paragraph 75, after "vertical clearance of"

Delete: 4.3 m

Replace by: 4.4 m

(C2012-075.01)

CEN 306 — Georgian Bay, First Edition, 1998 —

Chapter 3 — Paragraph 226, after "provided by the"

Delete: *Boating Restriction Regulations*

Replace by: *Vessel Operation Restriction Regulations*

(C2012-071.01)

Chapter 4 — Paragraph 57

Cancel correction promulgated in Monthly Edition No. 4/2011.

(C2012-071.02)

Chapter 4 — Paragraph 63, after "0.6 mile offshore."

Insert: A wreck, 0.3 mile NW of Hardhead Point, has a
drying height of 0.8 m.

(C2012-071.03)

Chapter 4 — After paragraph 113

Insert: ^{113.1} There are four **submerged cables**
extending from Cedar Point; two to Christian
Island, one to Hope Island light and one across
Thunder Bay to Thunder Point.

(C2012-071.04)

Chapter 4 — Paragraph 122, after "a depth of"

Delete: 4 feet (1.2 m)

Replace by: 5 feet (1.6 m)

(C2012-071.05)

Chapter 7 — Paragraph 89, after "limits under the"

Delete: *Boating Restriction Regulations*

Replace by: *Vessel Operation Restriction Regulations*

(C2012-071.06)

Chapter 10 — Paragraph 202, after "the south shore."

Insert: *Sportsman's Inn* is an authorised dealer of Canadian
Hydrographic Service **charts** and publications.

(C2012-071.07)

CEN 307 — North Channel of Lake Huron, First Edition, 2000 —

Chapter 6 — Paragraph 154, after "overhead clearance of"

Delete: 12 m

Replace by: 13 m

(C2012-074.01)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

CEN 307 — North Channel of Lake Huron, First Edition, 2000 —

Chapter 6 — Paragraph 154, after "the route is"

Delete: 2.8 m

Replace by: 2.7 m

(C2012-074.02)

Chapter 6 — Paragraph 166, after "a depth of"

Delete: 12.8 m

Replace by: 12.7 m

(C2012-074.03)

Chapter 6 — Paragraph 171, after "these rocks is"

Delete: 5.4 m

Replace by: 6 m

(C2012-074.04)

Chapter 6 — Paragraph 173, after "**submerged power cable**"

Delete: *(not shown on Chart 2250)*

(C2012-074.05)

Chapter 6 — Paragraph 178, after "a vertical clearance of"

Delete: 2.5 m

Replace by: 2.6 m

(C2012-074.06)

Chapter 6 — Paragraph 178, after "a clearance of"

Delete: 11 m

Replace by: 13 m

(C2012-074.07)

Chapter 6 — Paragraph 189, after "a depth of"

Delete: 0.7 m

Replace by: 0.6 m

(C2012-074.08)

Chapter 6 — Paragraph 209, after "navigation channel is"

Delete: 12 m

Replace by: 13 m

(C2012-074.09)

Chapter 6 — Paragraph 211, after "vertical clearance of"

Delete: 5.1 m

Replace by: 5.2 m

(C2012-074.10)

Chapter 6 — Paragraph 211, after "vertical clearance of"

Delete: 2.8 m

Replace by: 3.5 m

(C2012-074.11)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 4
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

CEN 307 — North Channel of Lake Huron, First Edition, 2000 —

Chapter 6 — Paragraph 240, after "a depth of"

Delete: 1.4 m

Replace by: 1.3 m

(C2012-074.12)

Chapter 6 — Paragraph 247, after "a depth of"

Delete: 1.2 m

Replace by: 1.1 m

(C2012-074.13)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	------------------------

NEWFOUNDLAND

226.5	L'Anse au Clair Wharf	51 25 24 57 04 01	Fl G	4s	4.9	4	Mast. 2.6 Seasonal.
-------	--------------------------	----------------------	------	----	-----	---	---------------------------

Chart:4470
Edn 10/12(N12-022)

ATLANTIC

632	Port Bickerton Fairway light and bell buoy V	SW. of Taylor Shoal. 45 01 13 61 39 09	Mo(A) W	6s			Red and white vertical stripes, marked "V". Year round.
-----	--	---	---------	----	-------	-------	---

Chart:4234
Edn 10/12 (G12-191)

635	Isaac's Harbour Fairway light and whistle buoy TT	E. of Jarvis Bank. 45 02 15 61 32 35	Mo(A) W	6s			Red and white vertical stripes, marked "TT". Year round.
-----	---	--	---------	----	-------	-------	--

Chart:4234
Edn 10/12 (G12-192)

670.5	Pas Reef light buoy PJ6	45 20 02.7 60 56 56.5	Fl R	4s			Red spar, marked "PJ6". Year round.
-------	----------------------------	--------------------------	------	----	-------	-------	--

Chart:4281
Edn 10/12 (G12-084)

671	Grassy Island light buoy PJ12	S. of island. 45 19 58.3 60 58 10.7	Q R	1s			Red spar, marked "PJ12". Year round.
-----	----------------------------------	---	-----	----	-------	-------	---

Chart:4281
Edn 10/12 (G12-086)

680.2	Hart Island light buoy PC6	NW. of island. 45 20 45.7 60 59 28.2	Q R	1s			Red spar, marked "PC6". Year round.
-------	-------------------------------	--	-----	----	-------	-------	--

Chart:4281
Edn 10/12 (G12-113)

720	Marchant Ledge light buoy CJ18	W. side of inlet, on end of breakwater. 45 30 12.3 60 57 41.7	Fl R	4s			Red spar, marked "CJ18". Winter spar. Seasonal.
-----	-----------------------------------	--	------	----	-------	-------	--

Chart:4308
Edn 10/12 (G12-183)

721 H3396	Petit-de-Grat Breakwater	On outer end of breakwater at N. entrance to Petit-de- Grat Inlet. 45 31 04.5 60 57 02.9	Fl G	4s		4	Square skeleton tower, 2 green and white rectangular daymarks. Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
--------------	-----------------------------	---	------	----	-------	---	---

Chart:4308
Edn 10/12

925.12	Pugwash Harbour light and bell buoy UK						Delete from list.
--------	--	--	--	--	--	--	-------------------

Chart:4406
Edn 10/12 (G12-176)

1017.8	Seacow Head Information light buoy DC	46 18 21.2 63 49 57.7	Fl Y	4s			Orange and white spar, marked "DC". Winter spar. Seasonal.
--------	---	--------------------------	------	----	-------	-------	---

Chart:4406
Edn 10/12

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
ATLANTIC							
1017.9	Seacow Head Information light buoy DD	46 18 45.2 63 49 25.7	Fl Y	4s		Orange and white spar, marked "DD".	Winter spar. Seasonal.
							Chart:4406 Edn 10/12
1049.8	Grand Tracadie Wharf	N. corner of wharf. 46 24 12.3 63 01 43.9	Fl R	4s	4.6	2	Cylindrical mast, red and white triangular daymark, red triangle in centre. 3.7
							Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
							Chart:4425 Edn 10/12 (G12-182)
1494.4	Havre-aux- Maisons light buoy YE6	47 23 37.8 61 50 18.6	Fl R	4s		Red, marked "YE6".	Seasonal.
							Chart:4955 Edn 10/12 (Q12-122)
1528.9	Île Greenly	On SW part of island. 51 22 29.4 57 11 26.7	Fl W	15s	34.7	15	Skeleton tower. 22.3
							Flash 0.5 s; eclipse 14.5 s. Operates at night only. Seasonal. The light of Île Greenly is obscured by Île au Bois through an arc of 015°, from 064° to 079°.
							Chart:4470 Edn 10/12 (Q12-130)
1539.13 H1890.1	Île Mermettes Racon -- (M) X & S Band	Centre of island. 51 19 20.5 57 50 34.6	Iso W	2s	11.8	6	Square skeleton tower. 6.5
							Operates at night only. Year round.
							Chart:4471 Edn 10/12 (Q12/131)
1716.5	Club nautique de Baie-Comeau light buoy KC1	49 13 42.3 68 07 43.2	Fl G	3s		Green, marked "KC1".	Privately maintained by le Club Nautique de Baie-Comeau. Seasonal.
							Chart:1226 Edn 10/12 (Q12-119)
1716.8	Club nautique de Baie-Comeau light buoy KC3	49 13 40.9 68 08 01.1	Fl G	3s		Green, marked "KC3".	Privately maintained by le Club Nautique de Baie-Comeau. Seasonal.
							Chart:1226 Edn 10/12 (Q12-120)
1747	Pointe à Boisvert light buoy K48	SE. of the point. 48 33 00.1 69 07 18.2	Fl R	4s		Red, marked "K48".	Seasonal.
							Chart:1236 Edn 10/12 (Q12-123)
1752	Cap à la Carre North Cardinal light buoy CALR	N. of shoal. 48 19 57.1 69 00 55.1	Q W	1s		Black and yellow, marked "CALR".	Seasonal.
							Chart:1320 Edn 10/12 (Q12-125)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

SECTION 5
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
-----	------	---	--------------------------	--	-----------------------	---	------------------------

ATLANTIC

2361 H2497	Traverse Longue- Pointe range	45 33 42.5 73 29 41.3	Iso W	2s	14.0	18	White cylindrical tower, orange daymark, black vertical stripe. 8.9	Visible in line of range. Year round.
2362 H2497.1		169°48' 190m from front.	Iso W	2s	20.6	18	White cylindrical tower, orange slotwork daymark, black vertical stripe. 13.3	Visible in line of range. Year round.
2365.91	Light buoy MT79	45 32 38.1 73 31 21.7	Fl G	4s			Green, marked "MT79".	Seasonal.
2365.93	Light buoy MT81	45 32 26.8 73 31 26.6	Fl G	4s			Green, marked "MT81".	Seasonal.
Inland LL 2503	Pullen Island Racon - - (G) X & S Band	On island, Kugmallit Bay. 69 46 26.2 134 24 15.7	Fl W	6s	41.0	7	Tripod skeleton tower, white daymark, red vertical stripe. 9.1	Flash 0.5 s; eclipse 5.5 s. Radar reflector. Seasonal.

Chart:1310
Edn 10/12 (Q12-124)

Chart:1310
Edn 10/12 (Q12-126)

Chart:1310
Edn 10/12 (Q12-127)

Chart:7663
Edn 10/12 (A12-007)

INLAND WATERS

39	Light buoy C6	45 16 06.6 73 57 12.1	Q R	1s			Red, marked "C6".	Seasonal. (In place Year round.)
709.8	Light buoy 30 (U.S.)							Delete from list.
709.8	Lake St. Clair light buoy 30 (U.S.)	42 30 30.7 82 41 54.5	Q R	1s			Red, marked "30".	Year round.
2503	Pullen Island Racon - - (G) X & S Bands	On island in Kugmallit Bay. 69 46 26.2 134 24 15.7	Fl W	6s	41.0	7	Tripod skeleton tower, white daymark, red vertical stripe. 9.1	Flash 0.5 s; eclipse 5.5 s. Radar reflector. Seasonal.

Chart:1431
Edn 10/12(B12-023)

Chart:14853(U.S.)
Edn 10/12(B12-013)

Chart:14852(U.S.)
Edn 10/12(B12-014)

Chart:7663
Edn 10/12(A12-007)

Monthly Notices to Mariners - Eastern Edition
Edition 10/2012

CANADIAN COAST GUARD
MARINE INFORMATION REPORT AND SUGGESTION SHEET

Name of Ship or Sender: Date:

Address of Sender:
Street # Street Name

Town / City: Prov / State: Postal Code / Zip Code:

Tel / Fax / E-mail address of sender (if appropriate):

Observation Date: Time (UTC):

Geographical Position:

Coordinate Position: Lat: Long:

Position Method: ☐ DGPS ☐ GPS with WAAS ☐ GPS ☐ Radar ☐ Other

Horizontal Datum Used: ☐ WGS 84 ☐ NAD 27 ☐ Other

Estimated Position Accuracy:

Chart #: Datum: ☐ NAD 27 ☐ NAD 83

Chart Edition: Last Correction applied:

Publications affected: (Quote Volume and page):

*Full details (Attach additional sheets as necessary)

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Director, Navigation Systems
Canadian Coast Guard
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

atn-aln@dfo-mpo.gc.ca

OR

Dominion Hydrographer
Canadian Hydrographic Service
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

CHSINFO@DFO-MPO.GC.CA

In the case of information concerning aids to navigation or the List of Lights, Buoys and Fog Signals.

In the case of new or suspected dangers to navigation or where corrections to "Sailing Directions" appear to be necessary.

Or general questions on Coast Guard programs or services please send an e-mail message to:

info@dfo-mpo.gc.ca

(Please include your postal code and e-mail address)